



Range
SEASONS



SIZES AND COLOURS

Colors \ Sizes	M	L	XL	XXL	XXXL
Green	50300	50301	50302	50303	50304
Barcodes	3435241503008	3435241503015	3435241503022	3435241503039	3435241503046
Yellow	50310	50311	50312	50313	50314
Barcodes		3435241503114	3435241503121	3435241503138	3435241503145

GENERAL DESCRIPTION AND MATERIALS

- Outshell : **double PVC coating on cotton / polyester support, water resistant, sewn and welded : 0.32 mm thickness**
- Length : 120 cm
- Zipper with snap fastener flap

- Collar : hood
- **Hood tightening** by cord
- **Sleeves edged with elastic windcheater inside**
- **Ventilated back**
- 2 pockets at the bottom with horizontal flap
- **Bottom tightening** by cord

SPECIFIC ADVANTAGES

- Water resistant
- Sewn and welded
- Hood tightening
- Elastic cuffs
- Ventilated back

MAIN APPLICATION FIELDS

- Rain
- Wet places

PACKAGING

- Individual packing
- 20 coats in a box

STANDARDIZATION

These garments bear CE marking to demonstrate compliance with EC Directive **89/686/EEC** Personal Protective Equipment Annex II Health & Safety Requirements

EN340:2003



This equipment has been submitted to evaporative resistance test according to the standard **EN 343:2003+A1:2007**.

Evaporative resistance is classified 1/3.

Limited wearing time: with ventilated opening and/or period of interruption, wearing time can be longer.

Non breathable – Class 1

Recommendations for wearing time:

Table - Recommended maximum continuous wearing time for a complete

suit consisting of jacket and trousers without thermal lining.

Table valid for medium physiological strain $M = 150 \text{ W/m}^2$, standard-man, 50% relative humidity and wind speed $v_a = 0.5 \text{ m/s}$.

'-' means : no limit for wearing time

Temperature of working environment	Class		
	1 Ret above 40 min	2 20 < Ret ≤ 40 min	3 Ret ≤ 20 min
25° C	60	105	205
20° C	75	250	-
15° C	100	-	-
10° C	240	-	-
5° C	-	-	-